

97110024

QUESTIONS ABOUT THIS PRODUCT? CALL OUR INFORMATION CENTER.

MOD#27TP83 SER#60906648 CIOI

MANE DATE AUG. 1996 DATE CODE 3216W232E

CHASSIS MOD # 27 V5 05 - 00AA

TU RECIEVER ISTED 3474 E10839

Color Television Owner's Manual

Return Your Warranty Registration Card Within 10 Days. See Why Inside.

Return your Warranty Registration card today to ensure you receive all the benefits you're entitled to.

Once your MAGNAVOX purchase is registered, you're eligible to receive all the privileges of owning a MAGNAVOX product. So complete and return the Warranty Registration Card enclosed with your purchase at once. And take advantage of these important benefits.

Warranty Verification

Registering your product within 10 days confirms your right to maximum protection under the terms and conditions of your MAGNAVOX warranty.

.Owner Confirmation

Your completed Warranty Registration Card serves as verification of ownership in the event of product theft or loss.

.Model Registration

Returning your Warranty Registration Card right away guarantees you'll receive all the information and special offers which you qualify for as the owner of your model.

Congratulations on your purchase, and welcome to the "family!"

Dear MAGNAVOX product owner:

Thank you for your confidence in MAGNAVOX. You've selected one of the best-built, best-backed products available today. And we'll do everything in our power to keep you happy with your purchase for many years to come.

As a member of the MAGNAVOX "family," you're entitled to protection by one of the most comprehensive warranties and outstanding service networks in the industry.

MAGNAVOX

Smart. Very smart.

What's more, your purchase guarantees you'll receive all the information and special offers for which you qualify, plus easy access to accessories from our convenient home shopping network.

And most importantly you can count on our uncompromising commitment to your total satisfaction.

All of this is our way of saying welcome—and thanks for investing in a MAGNAVOX product.

Sincerely,

5

Robert Minkhorst

President and Chief Executive Officer

P.S. Remember, to get the most from your MAGNAVOX product, you must return your Warranty Registration Card within 10 days. So please mail it to us right now!

For Customer Use

Enter below the Serial No. which is located of	the rear of the cabinet. Retain this information for future reference.
Model No.	Serial No.

Know these **safety**symbols



This "bolt of lightning" indicates uninsulated material within your unit may cause an electrical shock. For the safety of everyone in your household, please do not remove product covering.

The "exclamation point" calls attention to features for which you should read the enclosed literature closely to prevent operating and maintenance problems.

WARNING: TO PREVENT FIRE OR SHOCK HAZARD, DO NOT EXPOSE THIS EQUIPMENT TO RAIN OR MOISTURE.

CAUTION: To prevent electric shock, match wide blade of plug to wide slot, and fully insert.

ATTENTION: Pour éviter les chocs électriques, introduire la lame la plus large de la fiche dans la borne correspondante de la prise et pousser jusqu'au fond.

SAFETY INSTRUCTIONS - Read before operating equipment

This product was designed and manufactured to meet strict quality and afety standards. There are, however, some installation and operation ecautions which you should be particularly aware of.

- Read Instructions All the safety and operating instructions should be read before the appliance is operated.
- Retain Instructions The safety and operating instructions should be retained for future reference.
- Heed Warnings All warnings on the appliance and in the operating instructions should be adhered to.
- Follow Instructions All operating and use instructions should be followed
- 5. Water and Moisture The appliance should not be used near water for example, near a bathtub, washbowl, kitchen sink, laundry tub, in a wet basement or near a swimming pool, etc.
- Carts and Stands The appliance should be used only with a cart or stand that is recommended by the manufacturer.
- 6A.

An appliance and cart combination should be moved with care. Quick stops, excessive force, and uneven surfaces may cause the appliance and cart combination to overturn.

- 7. Wall or Ceiling Mounting The appliance should be mounted to a wall or ceiling only as recommended by the manufacturer.
- 8. Ventilation The appliance should be situated so that its location or position does not interfere with its proper ventilation. For example, the appliance should not be situated on a bed, sofa, rug, or similar surface that may block the ventilation openings; or, placed in a built-in installation, such as a bookcase or cabinet that may impede the flow of air through the ventilation openings.
- Heat The appliance should be situated away from hear sources such as radiators, heat registers, stoves, or other appliances (including amplifiers) that produce heat.
- 10. Power Sources The appliance should be connected to a power supply only of the type described in the operating instructions or as marked on the appliance.
- Power-Cord Protection Power supply cords should be routed so that they are not likely to be walked on or pinched by items placed upon or against them, paying particular attention to cords and plugs, convenience receptacles, and the point where they exit from the appliance.

- Cleaning The appliance should be cleaned only as recommended by the manufacturer.
- Power Lines An outdoor antenna should be located away from power lines.
- 14. Outdoor Antenna Grounding If an outside antenna is connected to the receiver, be sure the antenna system is grounded so as to provide some protection against voltage surges and built up static charges.

Section 810 of the National Electric Code, ANSI/NFPA No. 70-1984, provides information with respect to proper grounding of the mats and supporting structure grounding of the lead-in wire to an antenna discharge unit, size of grounding connectors, location of antenna-discharge unit, connection to grounding electrodes and requirements for the grounding electrode. See Fig. below.

- Non-use Periods The power cord of the appliance should be unplugged from the outlet when left unused for a long period of time.
- Object and Liquid Entry Care should be taken so that objects do not fall and liquids are not spilled into the enclosure through openings.
- 17. Damage Requiring Service The appliance should be serviced by qualified service personnel when:
 - A. The power supply cord or the plug has been damaged; or
 - Objects have fallen, or liquid has been spilled into the appliance; or
 - C. The appliance has been exposed to rain; or
 - D. The appliance does not appear to operate normally or exhibits a marked change in performance; or
 - E. The appliance has been dropped, or the enclosure damaged.
- 18. Servicing The user should not attempt to service the appliance beyond that described in the operating instructions. All other servicing should be referred to qualified service personnel.

Note to the CATV system installer: This reminder is provided to call the CATV system installer's attention to Article 820-40 of the NEC that provides guidelines for proper grounding and, in particular, specifies that the cable ground shall be connected to the grounding system of the building, as close to the point of cable entry as practical.




TABLE OF CONTENTS

Introduction
Welcome/Registration of Your TV2
fety/Precautions3
Table of Contents4
Features4
On-Screen (MENU) Features
♦ Setting the TV for Cable TV Operation5
♦ Adding Channels in Memory (Automatically)6
♦ Adding Channels in Memory (Manually)7
♦ How to Set the TV for Closed Captioning8
♦ Setting the TV for Stereo Programs9
♦Using the Sound Image Control10
♦Using the TV Volume Bar Control10
♦ Setting the Surf/Smart Surf Control11
♦ Adjusting the TV Picture12
♦ Adjusting the Set Clock Control13
♦ Adjusting the Set Timer/Timer ON/OFF14
♦ Setting the TV Sleep Timer Control
♦Using the TV Channel Reminder16
♦Using the On-Screen Language Option16
♦ Using the Audio Out Jacks (with TV Speaker
On/Off Control)17
Using the TV's Audio/Video Input Jacks 18-19
Remote Control Operation
Using the Remote Locator Feature20-21
Using the Smart Picture Control22
Using the Smart Sound Control23
Setting the TV Remote to Work VCRs24-25
Setting the TV Remote to Work
Cable TV Converters26-27 Setting the TV Remote to Work VCRs or Cable
Converters - Search Method28
Using the Remote's VCR Buttons29
Picture-in-Picture (PIP)
Using the PIP Feature (Connections)30-31
Using PIP with the TV Remote32
Selecting the PIP Picture Source33
More PIP Connections (Cable Converter)34
**
General Information
Tips if Something Isn't Working35
Glossary of TV Terms36
ex36
actory Service Locations37-38
Warranty
A second

SET-UP AND QUICK USE GUIDE

Use the simple Set-Up Guide (supplied with your TV information packet) for details on:

- Antenna Hook-ups
- First Time Set-Up (Automatic Settings)



- Basic TV and Remote Control Operation
- · On-Screen Menu Use

FEATURES

Infrared Remote Control works your TV set and a variety of wireless remote control VCRs and Cable Converters. A special "Locator" feature can also help you find the remote when it has been stuck out of sight or misplaced.

Standard broadcast (VHF/UHF) or Cable TV (CATV) channel capability.

Stereo Ready TV with built-in audio amplifier and twin speaker system for receiving TV programs broadcast in stereo sound.

Picture-In-Picture feature can show a TV program and the direct video output from an accessory (VCR, etc.) on the TV screen at the same time.

Closed Captioning allows the viewer to read TV program dialogue or voice conversations as on-screen text.

Automatic Programming of Channels for quick and easy selection of favorite stations available in your area.

On-Screen Features (in either English, French, or Spanish) show helpful messages for setting of TV controls.

Audio/Video Jackpanel for direct connections with VCRs (or other video accessories) providing quality TV picture and sound playback.

Smart Button for the control of TV Sound and Picture levels. Use the Smart Button on the remote to quickly adjust Smart Sound (to keep volume levels consistent during program changes or commercial breaks); Smart Picture (for automatic picture adjustments on a variety of program sources); and Smart Surf (for quick one button channel selection of up to 10 of your favorite channels).

Sleep-Timer automatically turns the TV OFF at preset times.

Clock Timer feature can turn ON the TV at any preset time - just like an alarm clock.

How to Set the TV for Cable TV Operation

NOTE: If you went through Setup (in your Quick Use Guide), this task has already been completed for you.

You need to make sure that the TV is set to pick up either Cable TV stations or Antenna signals. In other words, the TV needs to know whether you have connected a Cable TV signal or a normal antenna to its ANTENNA plug.

(BEGIN)

- on the remote, then press the MENU ▲ or ▼ buttons to select the word CABLE with the TV's on-screen arrow.
- Press the (+) button (on the TV or the remote) to select either:
 - YES- If you <u>DO</u> have Cable TV connected to the TV.
 Channels 1-125 can be selected.
 - NO- If you have an Antenna connected to the TV.
 Channels 2-69 can be selected.
- 3 Press STATUS to clear the screen.




SMART HELP

Try it out. Press

CHANNEL ▲▼ buttons

and scan the channels.

Remember, the TV has been set at the factory to select certain channel numbers. See the following page on how to set the TV to select the channels in your



Adding Channels in Memory (Auto Programming)

NOTE: If you went through Setup (in your Quick Use Guide), this task has already been completed for you.

Your TV can automatically set itself for local area (or Cable TV) channels. This makes it easy for you to select only the TV stations in your area when the CH(annel)

*\Bar{\P}\bullet buttons are pressed.

BEGIN

- on the remote, then press the MENU ▲ or ▼ buttons to select the word PROGRAM with the TV's on-screen arrow.
- Press the (+) button (on the TV or the remote) to PROGRAM.
- 3 Press the (+) button again to start the TV search for area channels.

Flashing channel numbers will count upward on the screen as the TV looks for channels to "ADD".

Press any button (on the TV or remote) to stop the channel search at any time. When the channel search is completed the TV will return to the last viewed channel.

Press STATUS button to clear the screen




SMART HELP

Try it out. Press

CHANNEL AV buttons and see which channels have been added.

Remember, if you want to drop any unwanted channels from the TV's memory, see the next page on how to "Manually" add and delete channels.

Note: As the TV searches for channels to "ADD" into memory the on-screen display may move (or jitter slightly). This is normal operation and does not indicate a need for service.



Adding Channels in Memory (Manually)

Auto Programming (see previous page) adds all the channels it can find (on your Antenna or Cable TV system) into the TV's memory. Add/Delete Channels makes it easy for you to add other channels, or drop unwanted channels, from the list of channels in the TV's memory.

BEGIN

Press the MENU (M) button
on the remote, then press the
MENU ▲ or ▼ buttons to select
the word CHANNEL with the
TV's on-screen arrow.

Press the MENU ▲ or ▼
buttons (or Channel Number
buttons on the remote) to select the
channel you want to SAVE (or
DELETE.)

Press the (+) button to SAVE the selected channel number into memory.

Press the (-) button to DELETE a channel from memory.

Press the STATUS button to clear the screen after adding all the channels you want.




SMART HELP

Try it out. Press the CHANNEL Duttons.

The channels you SAVED should appear. The channels you DELETED should not appear.

Remember, you can also add the VCR/AUX mode (see page 18) into the TV's channel memory. Then by pressing the CH ▲ ▼ buttons you can quickly select the Audio/Video Input jacks on the rear of the TV. Just "SAVE" the VCR/AUX mode (located between the lowest and highest channel numbers) into the TV's memory.



How to Select the Closed Caption Feature

Closed Captioning allows you to read the voice content of television programs on the TV screen. Designed to help the hearing impaired this feature uses on-screen "text boxes" to show dialogue and conversations while the TV program is in progress.

BEGIN

- 2 Press the (+) button to select the desired Closed Caption (CC) mode - For Example: CAPTION 1.
 - CAPTION 1, 2, 3, or 4 mode: dialogue (and descriptions) for the action on the captioned TV program shows on-screen. (See important note on this page.)
 - TEXT 1, 2, 3, or 4 mode: often used for channel guide, schedules, or bulletin board information for CC programs.

Note: <u>Usually</u> "CAPTION" 1 is the most used mode to view captioned material.

Press the STATUS button after making your Caption mode selection.

The TV display will clear and Captioning material (if available on the currently selected TV program) will appear on the TV screen.


To cancel, set the CAPTION feature to OFF when finished viewing.



SMART HELP

Remember, broadcast stations will often use spelling abbreviations, symbols, dropouts and other grammatical shortcuts in order to keep pace with the on-screen action. These type factors vary upon the source of the captioned text material and do not indicate a need for service on the part of the TV.

NOTE: Not all TV programs and product commercials are made for broadcast with Closed Caption (CC) information included. Neither are all Closed Caption modes (CAPTION 1-4, or TEXT 1-4)) necessarily being used by a broadcast station during the transmission of a closed caption program. Refer to your area's TV program listings for the stations and times of Closed Caption shows.




How to Set the TV for Stereo Programs

Your TV can receive broadcast stereo TV programs. The TV has both an amplifier and twin speakers through which the stereo sound can be heard.

(BEGIN)

on the remote, then press the MENU ▲ or ▼ buttons to select the word STEREO with the TV's on-screen arrow.



3 Press STATUS to clear the screen.




SMART HELP


Remember, if stereo is not present on a selected show and the TV is placed in the STEREO mode, the sound coming from the set will remain monaural (mono.)

SECOND AUDIO PROGRAM (SAP)

SAP is an additional part of the stereo broadcast system. Sent as a third audio channel SAP can be heard apart from the current TV program sound. TV stations are free to use SAP for any number of purposes, but many experts believe it will be used for foreign language translations of TV shows (or for weather and news bulletins.)

If a SAP signal is not present with a selected program, the SAP option cannot be selected. Also, if SAP is selected on a channel (with SAP) and you select another channel, when you return to the original channel SAP will be OFF (and you will have to reselect the SAP feature.)






USING THE SOUND IMAGE CONTROL

Sound Image can be used to add greater depth and dimension to both monaural (MONO) and stereo TV sound. With the control turned ON the TV's speakers can add even wider sound separation to normal broadcasts.

BEGIN

- on the remote, then press the MENU ▲ or ▼ buttons to select the word SOUND IMAGE with the TV's on-screen arrow.
- Press the (+) button to turn the SOUND IMAGE control ON.
- Press STATUS button to clear the screen.






USING THE TV VOLUME BAR CONTROL

Use the Volume Bar control to see the TV's volume level settings on the TV screen. Once set the Volume Bar will be seen each time the VOLUME buttons (on the TV or remote) are pressed.

BEGIN

- Press the MENU (M) button on the remote, then press the MENU ▲ or ▼ buttons to select the words VOL. BAR with the TV's on-screen Arrow.
- Press the (+) button to turn the VOL BAR control ON.
- Press STATUS button to clear the screen.





SETTING THE SURF AND SMART SURF CONTROL

A "list" or series of previously viewed channels can be selected with the SURF button on your remote control. With this feature you can easily switch between different TV programs that currently interest you. The Smart Surf control allows you to set up to 10 channels in its quick viewing "list".

(BEGIN)

- Press the MENU (M) button on the remote, then press the MENU ▲ or ▼ buttons to select the word SURF with the TV's on-screen arrow (or press the SMART button on the remote).
- Press the (+) button to select either 2-Channel Surf or Smart Surf. See explanation of Surf options with the illustration on this page.
- Press STATUS button to clear the screen.

How To Use Smart Surf

BEGIN

With the Smart Surf control


ON (see above), select a desired channel for viewing. You can use the number buttons on the remote (or the Channel ▲ or ▼ buttons).

- Press the SURF button on the remote. (Some channel numbers may already appear within the Surf channel list.)
- Press the Menu button to "ADD" the selected channel to the Surf list.

Select the next desired channel and repeat steps 2 and 3. Continue until all desired channels are on the Surf list.

Press the SURF button on the remote to quickly review current action on channels contained within the Surf list.





SMART HELP




To Use 2-Channel Surf:

With the 2-Channel Surf control ON, select the two desired channels for viewing with the number buttons on the remote control.

Press the SURF button on the remote to "toggle" between the two selected channels.

When using Smart Surf:

A "SURF MENU TABLE FULL" message will appear on-screen when the maximum of 10 channels has been added to the Smart Surf list.



How to Adjust the TV Picture

To adjust your TV picture controls, select a channel and follow the steps shown below:

BEGIN

- Press the MENU (M) button on the remote, then press the MENU ▲ or ▼ buttons until the desired control shows on-screen.
- Press the (+) and (-) buttons to adjust the selected color control.
- 3 Press the STATUS button to clear the screen when picture adjustments are completed.



SMART HELP

Remember, when the bar scale is centered, the control settings are at normal mid-range levels.


BRIGHTNESS Press (-) or (+) until darkest parts of the picture are as bright as you prefer.

PICTURE Press (-) or (+) until lightest parts of the picture show good detail.

<u>COLOR</u> Press (-) or (+) to add or eliminate color.

TINT Press (-) or (+) to obtain natural skin tones.

<u>SHARPNESS</u> Press (-) or (+) to improve detail in the picture.



How to Adjust the Set Clock Control

NOTE: If you went through First Time Setup (page 2 of the Quick Use Guide), this task has already been completed for you.

Your TV comes with an on-screen clock. During normal use the clock shows on the screen with every channel change (and when the STATUS button is pressed.)

(BEGIN)


- Press the MENU (M) button on the remote, then the MENU ▲ or ▼ buttons to select the words SET CLOCK with the TV's on-screen arrow.
- 2 Press (-) button to set the hour (and AM or PM) parts of the clock.

 Press (+) button to set the minutes part of the clock.
- 3 Press STATUS button to set the clock in operation and clear the screen.



SMART HELP

Remember, the remote's number buttons can also be used to enter the time. Be sure to press "0" first for single digit hour entries. Press the 0 or 1 number buttons for the clock's AM or PM settings.



SETTING THE SET TIMER CONTROL

ON TIMER

Just like an alarm clock you can set the TV to turn itself on at the same time everyday.

BEGIN

Press MENU (M) button on the remote, then press the MENU


▲ or ▼ buttons to select the words SET TIMER with the TV's on-screen arrow.

Press the (-) button on the remote to set the hour you want the TV to turn itself ON. (Also press the (-) button for the correct AM or PM setting).

Press the (+) button on the remote to set the minutes part of the timer clock.

Press the STATUS button to set the "ON TIME" and clear the screen.





SMART HELP

Remember, the TIMER
SETTING will not take place unless the TIMER Menu control is also set to "ON". (See TIMER section below)

The remote's number buttons can also be used to set the clock. Be sure to press 'O'' first for single digit hour entries. Press the 1 or 2 number buttons for the clock's AM or PM settings.


TURNING TIMER ON/OFF

A fter you have set the timer to the correct time, this feature allows you to turn the timer ON or OFF.

BEGIN

- Press the (+) button on the remote to choose between the ON or OFF selection.
- 3 Press the STATUS button to save the TIMER setting and clear the screen.





SMART HELP

Remember to select SET TIMER and enter the time you want the TV to turn on.

SETTING THE SLEEP TIMER CONTROL

Have you ever fallen asleep in front of the TV only to have it wake you up at two in the morning with a test pattern screeching in your ears? Well, your TV can save you all that trouble by automatically turning itself off.

BEGIN

> Press the SLEEP button on the remote.

Note: You can also press the MENU ▲ or ▼ on the remote or TV to select the word SLEEP with the TV's on-screen arrow.

Press the SLEEP button
repeatedly to pick the amount of
time (15 minutes to 2 hours
ahead) before the TV will turn
itself off.

The (+), (-) buttons can also be used to set the amount of time.

3 Press the STATUS button to clear the screen after you have set the time for the TV to turn off.

A few seconds before the TV is to shut off a message will come on the screen telling you GOOD NIGHT.




SMART

Remember, to see how many minutes are left before the TV shuts itself off, press the STATUS button on the remote.

To stop a SLEEP TIMER setting, reset the timer back to OFF. (Turning the TV off and on, or pressing a button during the last minute of a timer setting, will also cancel a setting.)

A few seconds before the TV is to shut off a message will come on the screen telling you GOOD NIGHT.



How to Set the Channel Reminder

7 ith the Reminder control ON the TV automatically shows you the current time and channel every thirty minutes.

(BEGIN)


1> Press the MENU (M) button on the remote, then press the MENU ▲ or ▼ buttons to select the word REMINDER with the TV's on-screen arrow.

 $\langle 2 \rangle$ Press the (+) button to turn REMINDER ON.

3 Press STATUS button to clear the screen.

> You should now see the channel number appear on-screen.





SMART HELP

Remember, if Closed Captioning is ON, neither the Channel Reminder or the "MUTE" sound indicator will show on the TV screen.

How to Use the On-Screen Language Option

or our French and Spanish speaking TV owners an onscreen LANGUAGE option is present. With the LANGUAGE control you can set the TV's onscreen features to be shown in either English, French, or Spanish text. (BEGIN)


Press the MENU (M) button on the remote, then press the MENU ▲ or ▼ buttons to select the word LANGUAGE with the TV's on-screen arrow.

Press the (+) button to select either the English, French (FRANCAIS), or Spanish (ESPANOL) language option.

Text for the on-screen Menu will change to the selected language.

3> Press STATUS to clear the screen.





SMART HELP

Remember, If you went through Setup (in your Ouick Use Guide). this task has already been completed for you.

The Language control only makes the TV's on-screen (MENU) items appear in French or Spanish text. It does not change the language of other on-screen text features such as Closed Captioned (CC) TV shows.

USING THE TV SPEAKER CONTROL AND AUDIO OUTPUT JACKS

Would you like to hear TV programs through your audio hi-fi system? The TV's Audio Output jacks and TV Speaker On/Off control work together to offer you this TV sound option.

(BEGIN)

Connect the R(ight) and
L(eft) AUDIO OUT jacks on the
TV to the R and L Audio Input
jacks on your amplifier or sound
system.

Set the audio system's volume to normal listening level.

- ON. You can now adjust the sound level coming from the audio system with the Volume ▲ or ▼ buttons on the TV or remote.
- To hear the TV sound from only the audio system speakers, select the TV's SPEAKER onscreen control.

Press the MENU (M) button on the remote, then press the MENU ▲ or ▼ buttons to select the word SPEAKER with the TV's onscreen arrow.


Press the (+) button to turn the TV's internal speakers OFF.
You should now only hear TV sound coming from the audio system speakers.

Press the STATUS button to clear the screen.



SMART HELP

Remember, the audio system may have to be in AUX(iliary) mode to play sound from the TV.



How to Use the Audio/Video Input Jacks

You can view the playback of VCR tapes (Video Disc Players, camcorders, etc). by using the AUDIO and VIDEO INPUT jacks (on the rear of the TV).

For example: to view the playback of a VCR tape:

(BEGIN)

Connect the VIDEO and
AUDIO IN(put) jacks on the
TV to the AUDIO and VIDEO
OUT(put) jacks on the VCR.

on the remote, then press the MENU ▲ or ▼ buttons to select the word INPUT with the TV's on-screen arrow.

Note: You can press the CHANNEL ▲▼ buttons to select "VCR/AUX" (if it has been added to the TV's channel memory.) See page 7 for details.

3 Press the (+) button to select the VCR/AUX(iliary) INPUTS on the rear of the TV.


Turn the VCR ON and PLAY the VCR tape to be viewed on the TV.



SMART HELP

Remember, when you're through using the A/V INPUT jacks, return the INPUT display screen on the TV to ANTENNA. If you leave the TV in the VCR/AUX INPUT mode and there is no signal source connected to the jacks, you will be seeing only a blank screen on the TV.

NOTE: If you have a mono (single audio OUTPUT) VCR, "Y"
Connectors are available (from your dealer or Parts Information
Center 1 800 292-6066) to connect to the audio inputs on the TV.



How to Use the Audio/Video Input Jacks (Continued)

The S(uper)-Video connection on the rear of the TV is used for the playback of S-VHS VCR tapes, Video Discs, or Compact Disc Interactive (cd-i) discs. Better picture detail and clarity is possible with the S-Video playback as compared to the picture from a normal antenna (RF) connection.

BEGIN

Connect the S-VIDEO IN

Jack on the TV to the S-VHS

Out(put) jack on a S-VHS VCR.

The S-VHS connecting cable will be supplied with the S-VHS VCR (or Video Disc player.)


Also connect the AUDIO IN(put) jacks from the TV to the AUDIO OUT jacks on the VCR.

- on the remote, then press the MENU ▲ or ▼ buttons to select the word INPUT with the TV's on-screen arrow.
- Press (+) button to select the S-VHS INPUT on the rear of the TV.
- it in the S-VIDEO or S-VHS mode. Insert a S-VHS cassette tape and PLAY the VCR in a normal manner.



SMART HELP

Remember, when you're through using the S-VIDEO IN(put) jack return the INPUT control on the TV to ANTENNA. If you leave the TV in the S-VIDEO mode and there is no signal source connected to the jack, you will be seeing only a blank screen on the TV.





Have you ever played hide and seek with your remote control? Are you tired of tearing the house apart trying to find if someone has stuffed the remote under the couch, put it on the shelves, or hid it in the desk? Well, your TV remote can save you all that looking by automatically signaling its location to you.

Here's how it works:

(BEGIN)

1 Press the POWER button on the set to turn the TV ON.

Note: Normally you can press any button on the front of the TV to turn the set ON. But for the remote locator to work you need to be sure to use the Power button at the TV.

"LOCATING REMOTE" shows on the TV screen.

Within a few seconds a chirping or beeping sound will begin to come from the remote control hand unit.

The remote will continue to signal s location for around 30 seconds. Normal TV program sound will not be heard while the remote locator is working.

3 Once you find the remote just press any button on the remote and the beeping sound will stop.


The remote is now ready for normal TV feature use.



SMART HELP

Remember., the remote locator may not properly receive its "homing" signal from the TV if it has been placed on a metal shelf or counter material.

Also, since there's a special type of radio frequency "homing" signal receiver inside the remote we are required to notify you that any changes or modifications not xpressly approved by Philips Consumer Electronics Company could void the user's authority to operate the remote equipment.



Address Code

PROGRAMMING OF REMOTE

For most homes this step would not be needed but for your information:

Up to 9 different remote locator address codes can be set on which the TV can send out its "homing" signal.

This is done in case there is more than one TV (with a remote locator) present, and you want only one specific remote to be signaled when the TV is turned ON.*

To set a Locator Address Code:

(BEGIN)

With TV turned ON, press the TV System button first and then the LOCATOR CODE button on the remote.

You will need a pencil or pen to press the recessed button.

The TV shows the present Remote Locator Code.



Press any number button (0-9) on the remote to set or change the Locator Code.

CODE IS REPROGRAMMED


THE NEW CODE IS 1

The remote will beep to let you know it has received the new Locator Code and then return to its normal operating mode.

Remember, if batteries are replaced the Locator Code will need to be reentered.

When setting the Locator Code if any button, other than the number buttons, are pressed the remote will return to its normal operation mode.

*For owners who live in an apartment (townhouse or condominium) complex, this task may be necessary since the remote locator's signal can be sent and detected directly through adjoining walls.



USING THE SMART PICTURE CONTROL

Whether you're watching a movie or a video game your TV has automatic video control settings matched for your current program source or content. The Smart Picture feature quickly resets your TV's video controls for a number of different types of programs and viewing conditions you may have in your home. Each Smart Picture setting is preset at the factory to automatically adjust the TV's Picture, Color, and Sharpness viewing control levels.

BEGIN

Press the Smart button on the remote.

Press the Menu ▲ or ▼ button to select the desired Smart Menu feature (highlighted with the arrow).


With the Smart Picture control selected, press the (+) or (-) button repeatedly to select any of the preset viewing categories (Example: Video Games, Movies, etc.).

Press STATUS button to clear the screen.



SMART HELP

Remember, the video control settings for the Smart Picture categories are memorized into the TV at the factory and can only be reset by field and service technicians.



USING THE SMART SOUND CONTROL

A re you tired of the sound of commercials following you into the next room or all through the house? Smart Sound allows you to preset a desired volume level that the TV sound will not go above. This makes for an even, more consistent sound by reducing the peaks and valleys that can occur during program changes or commercial breaks.

(BEGIN)

Press the Smart button on the remote.

Press the Menu ▲ or ▼ button to select the desired Smart Menu feature (highlighted with the arrow).


With the Smart Sound control selected, press the (+) or (-) button to turn the volume level control ON or OFF

Press the STATUS button to clear the screen when completed.



SMART HELP

Remember, Smart Sound works only with the programs coming through the Antenna/Cable input on the rear of the TV (RF audio). It will not control the sound levels for the Auxiliary (VCR/AUX IN) audio inputs.





SETTING THE REMOTE TO WORK VCRS

Your remote control is set to work your TV and many infrared remote (IR) control VCRs. However, an easy onetime step may be necessary before the remote will work your VCR.

Try this initial check to see if going on to the following section is necessary.


BEGIN

- Press the VCR System button on the remote.
- Point remote toward VCR and press the POWER button.
- ON?

 IF YES,
 and try the other

IF YES, and try the other VCR buttons on the remote. If they also work the VCR, then the remote is ready and no further steps are needed.

If NO, continue...



First look up a **TWO-DIGIT** remote code number for your brand VCR before going through the simple "1,2,3" steps (on the following page).

continue to next page

SMART HELP

Remember, if more than one number is listed, you may have to try more than the first two-digit code given in order to locate your VCR's remote code.

VCR BRAND	REMOTE CODE NO.	VCR BRAND	REMOTE CODE NO.
Akai	24, 25, 36	Panasonic	01, 02, 52
Capehart	33	Philips	00, 05
Conoid	13	Philips Video C	D 37
Curtis Mathes	42	RCA	04, 32, 42, 43, 44
Daewoo	33	Samsung	22, 30
Emerson	20, 31, 34, 40	Sansui	49
Fisher	06, 07	Sanyo	13
Goldstar	23	Sears	08
Go Video	45, 46	Sharp	11, 12
Hitachi	03, 51	Shintom	35
JVC	14, 47, 48	Sony	09, 10,41
Magnavox	00, 05	Teknika	26
Matsushita	01,02	Toshiba	18, 19
Mitsubishi	16, 17, 38, 39, 50	Video Concepts	29
Multitech NEC	27,28 21	Zenith	15



Now that you have looked up the two-digit Remote Code Number for your brand of VCR (on previous page), you are ready to follow the four simple steps below.

Please read through steps 1-4 before beginning.

(BEGIN)

Press and release the REC (RECORD) button.

Within thirty seconds after releasing the REC button, press and release the VCR System button.

Within thirty seconds after releasing the VCR System button, ENTER THE TWO DIGIT CODE NUMBER for the desired VCR. The remote is now ready to send commands to the VCR.

Point the remote at the VCR.

Press the POWER button on the remote to turn the VCR ON.




SMART HELP

Try it out. The Channel and VCR buttons on the remote should now operate the VCR.

Remember, if this doesn't work the first time, repeat steps using the same remote code number.

If after a second try the remote does not operate your VCR, and there are more code numbers listed for your brand VCR, use the next listed code number.

If after repeated attempts the code number method does not work your VCR, try the "VCR SEARCH" method on page 28.






SETTING THE REMOTE TO WORK CABLE TV CONVERTERS

Your remote control is set to work your TV and many infrared remote (IR) control Cable Converters. However, an easy one-time step may be necessary before the remote will work your Converter.

Try this initial check to see if going on to the following section is necessary.

BEGIN

> Press the CBL System button on the remote.




Does the remote turn the Converter ON?

and CH number buttons on the remote. If they also work the Converter then the remote is ready and no further steps are needed.

▼

If NO, continue...



First look up a **TWO-DIGIT**remote code number for your
brand Converter before going
through the simple "1,2,3" steps
(on the following page).

continue to next page

SMART HELP

Remember, if more than one number is listed, you may have to try more than the first two-digit code given in order to locate your Converter's remote code.

CONVERT BRAND	ER REMOTE CODE NO.	CONVERTER BRAND	REMOTE CODE NO.
Archer	28	Rembrant	33
Diamond	23	Salora	52
Drake	37	Scientific Atlanta	08, 22, 47
Gemini	45	Sheritech	34
Hamlin	14, 15	Starcom	30
Hitachi	25	Sylvania	16
Jerrold 00,0	1,02,03,04,05,46,55	Texscan	48
Macom	29, 38	Tocom	12,13,53
Magnavox	17, 31	Toshiba	43
NSC	49	Uniden Satellite	44
Oak	06, 27, 39	Unika	50
Panasonic	18, 35	United Satellite	54
Philips	19, 20, 21, 24, 26	Universal	36
Pioneer	09, 32	Video Tech	40
Regency	10, 11	Video Way	51
		Zenith	07, 41, 42

Now that you have looked up the two-digit Remote Code Number for your brand of Cable Converter (on previous page), you are ready to follow the four simple steps below.

Please read through steps 1-4 before beginning.

(BEGIN)

- Press and release the REC (RECORD) button.
- Within thirty seconds after releasing the REC button, press and release the CBL System button.
- Within thirty seconds after releasing the CBL System button, ENTER THE TWO DIGIT CODE NUMBER for the desired Converter. The remote is now ready to send commands to the Converter.
- Point the remote at the Converter. Press the POWER button on the remote to turn the Converter ON.




SMART HELP

Try it out. The Channel and POWER buttons on the remote should now operate the Converter.

Remember, if this doesn't work the first time, repeat steps using the same remote code number.

If after a second try the remote does not operate your Converter, and there are more code numbers listed for your brand Converter, use the next listed code number.

If after repeated attempts the code number method does not work your Converter, try the "CONVERTER SEARCH" method on page 28.



SETTING YOUR REMOTE TO WORK VCRs, CONVERTERS - SEARCH

Your TV remote can be set to work your VCR or Cable Converter by what is called the SEARCH method.

If the "REMOTE CODE" number method shown in the previous section did not set your remote to work your VCR or Converter, then follow the easy steps listed below.

Please read through steps 1-4 before beginning.

BEGIN

> Press the POWER button on the VCR or Converter to turn the unit ON.

Stand at least six feet away from the front of the VCR or Converter.

Point the remote toward the unit. HOLD DOWN the SURF and the desired System (VCR or CBL-Converter) buttons at the same time. KEEP HOLDING BUTTONS DOWN.

Watch the Channel Indicator on the unit.

Channel Numbers will SCAN UP when the unit has been identified. This may take up to two minutes.

Release the SURF and System
(VCR or CBL) buttons as soon
as channel numbers start to scan
up. The code has been identified
and the remote is ready to operate
with the VCR or Converter.




SMART HELP

Remember, a minute or two can seem very long, but the code should be located within two minutes.

Don't let the VCR scan up more than five channels. If you do the remote may pass up the right code and another two minute search cycle will have to be repeated.

If no channel change happens within two minutes, repeat steps 1-4. Should a channel change still not occur, the remote will not work with the desired unit.



USING THE REMOTE'S VCR BUTTONS



When using the TV remote with a VCR, first make certain it is set to control your VCR (by the REMOTE CODE or SEARCH method - see earlier section).

(BEGIN)

> Press the VCR System button on the remote.

2 Point the top of the remote toward the front of the VCR (remote sensor window) when pressing buttons.



Record Button

Hold the RECORD button down, and then press the PLAY button to begin a VCR recording.

Rewind Button

Press to rewind tapes. For some VCRs you may need to press STOP button first then REWIND. In playback mode, hold button down to view picture moving rapidly in reverse.


Pause Button

Press to temporarily stop the tape during a playback or recording. Press again to release Pause.

TV-VCR Button

Press to the VCR position ("VCR" indicator on the VCR will light) to view the playback of a tape. Press again to place in the TV position ("VCR" indicator on the VCR will go OFF) to view one program while recording another program.

When used with the TV the TV/VCR button works as a source button. Each press cycles the TV between channels 3 and 4; or the VCR/AUX and S-VIDEO Input modes. It is a quick one-button way to select these channels and modes (without directly entering the TV's Menu system.)



same as with the original VCR remote control provided with the

VCR.

How to Use the Picture-In-Picture (PIP) Feature

Picture in Picture (PIP) is the showing of two pictures on the TV screen at the same time. (One nain screen picture and one small inset picture - or PIP).

NOTE: The PIP picture must be supplied by a VCR (or other accessory equipped with a VIDEO OUTPUT jack). See the following example on how a VCR can be used to supply a PIP picture.

BEGIN

Connect the VIDEO OUT jack on the VCR to the VIDEO IN jack on the TV.

Also connect the AUDIO OUT jack (Right/Left) from the VCR to the AUDIO IN jack on the TV. (See Reminder note below.)

Also ensure the normal antenna connection between the VCR and TV is in place.


Move to the next page after the VCR to TV PIP connections are completed.

continue to next page

SMART HELP

For other possible PIP connections see page 34 for the "More PIP Connections" section.

If you have a single (monaural) Audio Output VCR, "Y" connectors are available to complete your connection to the TV. Contact your dealer, or our Parts Information Center (1-800-292-6066), for details.



Now that you have completed the required connections on the previous page you are ready to follow the simple steps shown below.

$\stackrel{\textstyle <}{3}$ Turn the VCR and TV ON.

Place the VCR in the TV mode -Use the <u>TV/VCR button</u> on the VCR (or on the TV remote if it is set to work your VCR see page 24.)

Place the TV 's PIP INPUT control to "VCR/AUX" -

Press MENU ▲ or ▼ on the

TV (or on the remote press M button and then M ▲▼ buttons.)

Select the word PIP INPUT with the TV's on-screen Arrow. Then press the (+) button to select VCR/AUX.

Make sure the TV's "INPUT" on-screen control is set to ANTENNA.

Select the channel on the VCR to view in the PIP window.
Select the channel on the TV to view on the main screen.

Press the PIP ON/OFF button on the remote.

The PIP window should show in one of the corners of the TV screen.




SMART HELP

Remember, if you see the same picture on the main screen and in the PIP window, you need to be sure the TV's PIP INPUT control is set to "VCR/AUX."

No sound will be heard with the PIP picture. See page 32 on how to 'SWAP" the PIP picture with the main screen picture so that sound can be heard.

Also, see the following page on how to operate other PIP features with the remote control.



USING PIP WITH THE REMOTE CONTROL

By using the PIP buttons on the remote the PIP picture can be moved and swapped with the main screen. The main screen picture can also be frozen in the PIP window.

BEGIN

> Press the PIP ON button to show the PIP picture.

PIP appears in a corner of TV screen. Press PIP ON again to remove PIP from the main screen.

Press the PIP POSITION
button to move the PIP picture
(from corner-to-corner on the TV
screen.)

This feature allows you to move PIP and avoid blocking off any main screen action.

With PIP on the TV screen, press the SWAP button to swap the main screen picture with the PIP picture. See "Smart Help" note on this page.

> Press FREEZE to hold the current MAIN screen picture in the PIP window (Main picture is still active).

If PIP is currently OFF, the PIP window will automatically appear.

Press FRZ repeatedly to update the frozen PIP with current pictures from the Main screen.


You cannot swap a frozen PIP (with the TV's main screen picture).

Press the PIP ON button to drop the frozen PIP picture from the screen.

5 Press the PIP SIZE button to change the size of the PIP window shown on the TV screen.

Press the PIP SIZE button again to see and compare the large and small size PIP windows.





SELECTING THE PICTURE SOURCE FOR PIP

The picture for the PIP window can come through the TV's ANTENNA or VCR/AUX Inputs (on the rear of the TV.) The PIP INPUT control simply tells the TV which one of these two sources it is to show in the PIP window

BEGIN

on the remote, then press the MENU ▲ or ▼ buttons to select the word PIP INPUT with the TV's on-screen arrow.

Press the (+) button to select the source for the PIP picture:

ANTENNA -

for a picture signal coming from the ANTENNA input on the rear of the TV.

VCR/AUX -

for a picture signal coming from the Video Input jack on the rear of the TV. Used for VCR (or other direct video accessory) connections.

Note: The TV's S-VIDEO Input plug cannot be used as a video source for the PIP window. Also, when S-VIDEO is selected for the main screen INPUT the PIP window will will not appear.


Press the STATUS button to clear the screen.




SMART HELP

Remember, the PIP screen will be blank unless a signal is connected to the selected source (either ANTENNA or VCR/AUX) on the rear of the TV.

With ANTENNA selected (as the PIP INPUT source), the main screen and PIP window will show the same picture. The VCR/AUX inputs (on the rear of the TV) must be used in order to see a different channel or picture source in the PIP window.





TIPS IF SOMETHING ISN'T WORKING



Please make these simple checks before calling for service. Theses tips can save you time and money since charges for TV installation and adjustment of customer controls are not covered under your warranty.

CAUTION: A video source (such as a video game, Compact Disc Interactive - CDI, or TV information channel) which shows a constant non-moving pattern on the TV screen, can cause picture tube damage. When your TV is continuously used with such a source the pattern of the non-moving portion of the game (CDI, etc.) could leave an image permanently on the picture tube. When not in use, turn the video source OFF. Regularly alternate the use of such video sources with normal TV viewing.

No Power

- Check the TV power cord. Unplug the TV, wait 10 seconds, then reinsert plug into outlet and push POWER button again.
- · Check to be sure outlet is not on a wall switch.

No Picture

- Check antenna connections. Are the properly secured to the TV's ANT/CABLE plug?
- · Check the CABLE/ YES NO control for correct position.
- Check INPUT control for correct position. VCR-AUX or S-VIDEO position without a signal source will result in a blank screen. Also the TV's S-VIDEO Input plug cannot be used as another video source to be shown in the PIP window.

No Sound

- Check the VOLUME buttons.
- Check the MUTE button on the remote control.
- Check the SPEAKER on-screen control. OFF position will eliminate sound at the set.
- · If attempting auxiliary equipment hook-ups, check audio jack connections.

Remote Does Not Work

- Check TV-VCR-CBL "System" buttons on the remote. Press the remote's <u>TV</u> System button to send commands to the TV.
- Check batteries. Replace with AA Heavy Duty (Zinc Chloride) or Alkaline batteries if necessary.
- Clean the remote and the remote sensor window on the TV.
- Check the TV power cord. Unplug the TV, wait 10 seconds, then reinsert plug into outlet and push POWER button again.
- Check to be sure TV outlet is not on a wall switch.

TV Displays Wrong Channel or No Channels Above 13

- Repeat channel selection.
- Add desired channel numbers (CHANNEL control) into TV memory.
- Check CABLE/ YES NO control for correct position.

This TV is equipped with protective circuitry that shuts the TV off in case of moderate power surges. Should this occur turn the TV back on by pressing the POWER button once or twice, or unplug (wait 10 seconds) and then replug the power cord at the AC outlet. This feature is NOT designed to prevent damage due to high power surges such as those caused by lightning, which is not covered by your warranty.

Cleaning and Care

- To avoid possible shock hazard be sure the TV is unplugged from the electrical outlet before cleaning.
- When cleaning the TV screen take care not to scratch or damage the screen surface (avoid wearing jewelry or using anything abrasive). Wipe the front screen with a clean cloth dampened with water. Use even, easy, vertical strokes when cleaning.
- Gently wipe the cabinet surfaces with a clean cloth or sponge dampened in a solution of cool clear water. Use a clean dry cloth to dry the wiped surfaces.
- Occasionally vacuum the ventilation holes or slots in the cabinet back.
- Never use thinners, insecticide sprays, or other chemicals on or near the cabinet, as they might cause permanent marring
 of the cabinet finish.

GLOSSARY TO TELEVISION TERMS

Coaxial Cable * A single solid antenna wire normally matched with a metal plug (F-type) end connector that screws (or pushes) directly onto a 75 Ohm input found on the Television or VCR.

ed Caption * Broadcast standard which allows you to read the voice content of television programs on the TV screen. Designed to help the hearing impaired this feature uses on-screen "text boxes" to show dialogue and conversations while the TV program is in progress.

Direct Audio/Video Inputs * Located on the rear of the TV these connectors (RCA phono type plug) are used for the input of audio and video signals. Designed for use with VCRs (or other accessories) in order to receive higher picture resolution and offer sound connection options.

Identify* Method by which a remote control searches and finds an operating code for another product (such as a VCR or Cable Converter). Once the code has been "identified" then the TV remote can operate and send commands to the other product.

Multichannel Television Sound (MTS) * The broadcast standard that allows for stereo sound to be transmitted with the TV picture.

On Screen Displays (OSD) * Refers to the wording or messages generated by the television (or VCR) to help the user with specific feature controls (color adjustment, programming, etc.).

Menu * An on-screen listing of feature controls shown on the Television screen that are made available for user adjustments.

Picture -In-Picture (PIP) * Term used when two pictures are shown on the TV screen at the same time. The smaller PIP picture is supplied by a VCR (or other tuner/video playback source). The PIP picture can also be moved and swapped with the TV's main screen picture.

Programming * The procedure of adding or deleting channel numbers into the Television's memory circuits. In this way the Television "remembers" only the locally available or desired channel numbers and skips over any unwanted channel numbers.

Remote Sensor Window * A window or opening found on the Television control panel through which infrared remote control command signals are received.

Setup Mode * Automatic feature control settings made by the TV. Designed for first time set-up and use. Settings for signal connections (antenna or cable TV), plus channel program memory are held in the TV's memory (even if the set is unplugged and moved to a new location.)

Second Audio Program (SAP) * Another or additional audio channel provided for in the Multichannel Television Sound (MTS) broadcast standard. The most frequently proposed use for SAP is the simultaneous bilingual broadcast of TV program material.

Status * Allows the user to quickly confirm what channel number is currently being viewed. Status can also be used to clear the Television of on screen displays or information (rather than waiting for the displays to "time out" or automatically disappear from the screen).

Twin Lead Wire * The more commonly used name for the two strand 300 Ohm antenna wire used with many indoor and outdoor antenna systems. In many cases this type of antenna wire requires an additional adapter (or balun) in order to connect to the 75 Ohm Input terminals designed into the more recent Televisions and VCRs.

INDEX


Accessories/Optional	17-19, 30, 34, *Q/U-1
Adapter Connector	
Add/Delete Channels	
Audio/Video Input Jacks	
Battery Installation	
Cable TV Connections/Settings	5, 30, 34, *Q/U-1,2
Channel Display	16, *Q/U-3
Channel Memory	
Channel Reminder	16
Clock	13
Closed Captioning	8
Controls/TV	*Q/U-3
Controls/Remote	20-29, 32, *Q/U-3
Features	4
Glossary TV Terms	36
Identify VCRs with TV Remote	24-25, 28
Identify Cable Converters with TV Rem	ote26-28
Input Control	18
Inputs/Audio and Video	18-19, 30, 34
nguage Option	16
wiemory/Program Channels	6, 7, *Q/U-2
Menu Button	*Q/U-4
Minus(-)/Plus (+) Buttons	*Q/U-4
Picture-In-Picture	30-34

PIP Input Control	30, 33
Precautions/Safety	3, 35, *Q/U-1
Programming Channels	6, 7, *Q/U-2
Remote Control	
Requesting Service	
RF Coaxial Cable	
Remote Locator	
Safety/Precautions	
Second Audio Program	
Sensor Remote	
Set Timer	-
Set Up/First Time Use	*Q/U-1, 2, 3, 4
Sleep Timer	
Smart Picture	
Smart Sound	
Status Button	
Stereo	
Timer	
Tips for Service	
VCR Buttons	
VCR/TV Connections	
Volume Bar Control	
Warranty	
# 7.6 · · · · · · · · · · · · · · · · · · ·	

* Information contained in Quick-Use (Q/U) Guide-page listed.

Philips Consumer Electronics Company


Factory Service Center Locations



NOTE: If you reside in one of our Philips Factory Service Branch areas (see directory on back), you can contact the nearest Service Branch to obtain efficient and expedient repair for your product. If your product is In-Warranty, you should have proof-of-purchase to ensure No Charge Service. For Out-of-Warranty service, call the location nearest you.

NOTA: Si vous résidez dans une des régions desservies par une succursale de service après vente du fabricant Philips (voir liste ci-dessous), vous pourrez contacter la branche de service après vente la plus près de chez vous pour obtenir un service après vente rapide et efficace. Si le produit est sous garantie, il suffira de présenter une preuve d'achat pour bénéficier d'un service sans frais. Pour les produits non couverts par la garantie, contactez le centre le plus près de chez vous.

NOTA: Si Ud. reside en una de nuestras zonas para sucursales Philips de servicio al de fábrica (ver directorio más abajo), Ud. puede comunicarse con la sucursal de servicio más cercana para obtener una reparación oportuna y eficaz de su producto. Si su producto está todavía bajo garantía, Ud. debe presentar comprobante de compra para no ocasionar ningunos cargos por servicio. Para servicio después del vencimiento de la garantía, llame al lugar más cercano de los abajo indicados.



QUALITY SERVICE IS AS CLOSE AS YOUR TELEPHONE! SIMPLY LOOK OVER THE LIST BELOW FOR THE NUMBER OF A FACTORY SERVICE CENTER NEAR YOU. YOUR PRODUCT WILL RECEIVE EFFICIENT AND EXPEDIENT CARRY-IN, MAIL-IN, OR IN-HOME SERVICE, AND YOU WILL RECEIVE PEACE OF MIND, KNOWING YOUR PRODUCT IS BEING GIVEN THE EXPERT ATTENTION OF PHILIPS' FACTORY SERVICE. AND, IF THE PHONE NUMBER LISTED FOR YOUR AREA IS LONG DISTANCE, CALL 1-800-242-9225 FOR FACTORY SERVICE.

**OMMENT OBTENIR NOTRE SERVICE APRÈS VENTE RAPIDE ET EFFICACE SOIT PAR COURRIER, À DOMICILE, OU EN SE PRÉSENTANT À UN CENTRE DE SERVICE PHILIPS. PLUS DE 600 CENTRES DE ÉCEPTION DE PRODUITS À RÉPARER À TRAVERS LE PAYS: CONTACTER LE CENTRE DE SERVICE AUX CONSOMMATEURS LE PLUS PROCHE POUR SAVOIR L'EMPLACEMENT DE CES DÉPOTS DANS UN RAYON DE 50 À 75 MILES (80 KM À 120 KM) DU CENTRE DE SERVICE LOCAL.

CÓMO OBTENER UN SERVICIO OPORTUNO Y EFICIENTE POR CORREO, EN CASA O EN PERSONA PARA SU PRODUCTO A TRAVÉS DE UN CENTRO PHILIPS DE SERVICIO. MAS DE 600 SITIOS POR TODO EL PAÍS PARA LA RECEPCION DE PRODUCTOS NECESITADOS DE REPARACIONES: COMUNICARSE CON EL CENTRO DE SERVICIO DE FABRICA MAS CERCANO PARA ESTOS LUGARES DENTRO DE UN RADIO DE 80 A 120 KM (50 A 75 MILLAS) DEL CENTRO DE SERVICIO LOCAL.

Atlanta-Athens-Macon-Chattanooga, TN-North Georgia Area

1898 Leland Drive Marietta, GA 30067 (404) 952-3279

Boston-Southern Maine-Southern New Hampshire Area

1 North Avenue Burlington, MA 01803 (617) 272-4825

Charlotte-Winston Salem-Greensboro-Chapel Hill-Raleigh-Spartanburg, SC Area 520-G Clanton Road Charlotte, NC 28217 (704) 529-6330

Chicago-Gary Area 1360 W. Hamilton Parkway asca, IL 60143 38) 775-0990

Cleveland—Akron— Youngstown Area

24090 Detroit Road Westlake, OH 44145 (216) 899-2040

Columbus-Dayton-Cincinnati Area 6333 Busch Blvd. Columbus, Ohio 43229 (614) 781-2605 Connecticut—Rhode Island— Springfield, MA Area 1294 Blue Hills Avenue Bloomfield, CT 06002 (860) 726-9612

Dallas-Ft. Worth Area 13375 Stemmons Freeway, Suite 200 Dallas, Texas 75234 (214) 243-4775

Detroit/Toledo Area 25173 Dequindre Madison Heights, MI 48071 (810) 544-2110

Knoxville-Greeneville-Tri Cities-East Tennessee Area 6700 D. Papermill Road Papermill Plaza Knoxville, TN 37919 (423) 584-6614

Ft. Myers-Naples-Southwest Florida Area 11601 Cleveland Ave., Suite 15 Ft. Myers, FL 33907 (813) 278-4242

Houston-Galveston-Beaumont-Austin-San Antonio Area 1110 North Post Oak Road Suite 100 Houston, TX 77055 (713) 682-3990 Los Angeles-San Diego Area 2910 E. LaPalma, Suite E Anaheim, CA 92806 (714) 238-7250

Miami-Southeast Florida Area 2099 W. Atlantic Blvd. Pompano Beach, FL 33069 (305) 978-0467

North NJ-Staten Island-Rockland County, NY Area 140J Commerce Way Totowa, NJ 07512 (201) 890-7200

New York Metro Area 116 Charlotte Avenue Hicksville, NY 11801 (516) 933-1780 Nassau County

Orlando-Jacksonville-North Florida-Southeast Georgia Area 2452 Sand Lake Road Orlando, FL 32809 (407) 857-8998

Philadelphia/S. New Jersey Area 352 Dunks Ferry Road Bensalem, PA 19020 (215) 638-7500

Phoenix-Scottsdale-Mesa-Tempe Area 5032 S. Ash Avenue, Ste. 101 Tempe, AZ 85282 (602) 897-7358 Pittsburgh, PA-Steubenville, OH-Wheeling/Morgantown, WV Area 2891 Banksville Road Pittsburgh, PA 15216 (412) 563-8020

Rockford-Kenosha-Beloit-Madison Area 5602 N. Second Loves Park, IL 61111 (815) 654-7343

San Francisco-Oakland-San Jose Area 3370 Montgomery Drive Santa Clara, CA 95054 (408) 492-9013

Seattle-Tacoma/Olympia Area 1055 Andover Park East Tukwila, WA 98188 (206) 575-6288

Tampa-St. Petersburg-Sarasota Area Center Point Business Park, Building B-1, Suite 100 1911 U.S. Hwy. 301 North Tampa, FL 33619 (813) 621-8181

Washington, DC-Baltimore-Richmond, VA Area 6671-J Santa Barbara Road Elkridge, MD 21227 (410) 796-0105

HOW YOU CAN OBTAIN EFFICIENT AND EXPEDIENT CARRY-IN, MAIL-IN, OR IN-HOME SERVICE IN CANADA FOR YOUR PRODUCT THROUGH A PHILIPS CONSUMER SERVICE CENTER

COMMENT OBTENIR NOTRE SERVICE APRÈS VENTE RAPIDE ET EFFICACE SOIT PAR COURRIER, À DOMICILE, OU EN SE PRÉSENTANT À UN CENTRE DE SERVICE PHILIPS

CÓMO OBTENER UN SERVICIO OPORTUNO Y EFICIENTE POR CORREO, EN CASA O EN PERSONA EN EL CANADA PARA SU PRODUCTO A TRAVÉS DE UN CENTRO PHILIPS DE SERVICIO AL CONSUMIDOR

TORONTO 601 Milner Avenue Scarborough, Ontario M1B 1M8 (416) 754-6064 (Tel.) (416) 292-5161 (Tel.) (416) 754-6290 (Fax) MONTRÉAL 4977 Levy Street St. Laurent, Québec H4R 2N9 (514) 956-0120 (Tel.) (514) 956-0828 (Fax) VANCOUVER 1741 Boundary Road Vancouver, B.C. V5M 3Y7 (604) 294-3441 (Tel.) (604) 294-3574 (Fax)

WARRANTY



COLOR TELEVISION

90 Days Free Labor

One Year Free Replacement of Parts (Two Years Free Replacement on Color Picture Tube)

This product can be repaired in-home.

WHO IS COVERED?

You must have proof of purchase to receive warranty service. A sales receipt or other document showing that you purchased the product is considered proof of purchase.

WHAT IS COVERED?

Warranty coverage begins the day you buy your product. For 90 days thereafter, all parts will be repaired or replaced free, and labor is free. From 90 days to one year from the day of purchase, all parts will be repaired or replaced free, but you pay for all labor charges. From one to two years from the day of purchase, you pay for the replacement or repair of all parts except the picture tube, and for all labor charges. After two years from the day of purchase, you pay for the replacement or repair of all parts, and for all labor charges.

All parts, including repaired and replaced parts, are covered only for the original warranty period. When the warranty on the product expires, the warranty on all replaced and repaired parts also expires.

WHAT IS EXCLUDED?

Your warranty does not cover:

- labor charges for installation or setup of the product, adjustment of customer controls on the product, and installation or repair of antenna systems outside of the product.
- product repair and/or part replacement because of misuse, accident, unauthorized repair or other cause not within the control of Philips Consumer Electronics Company.
- reception problems caused by signal conditions or cable or antenna systems outside the unit.
- a product that requires modification or adaptation to enable it to operate in any country other than the country for which it was designed, manufactured, approved and/or authorized, or repair of products damaged by these modifications.
- incidental or consequential damages resulting from the product. (Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This includes, but is not limited to, prerecorded material, whether copyrighted or not copyrighted.)
- a product used for commercial or institutional purposes.

WHERE IS SERVICE AVAILABLE?

Warranty service is available in all countries where the product is officially distributed by Philips Consumer Electronics Company. In countries where Philips Consumer Electronics Company does not distribute the product, the local Philips service organization will attempt to provide service (although there may be a delay if the appropriate spare parts and technical manual(s) are not readily available).

MAKE SURE YOU KEEP...

Please keep your sales receipt or other document showing proof of purchase. Attach it to this owner's manual and keep both nearby. Also keep the original box and packing material in case you need to return your product.

BEFORE REQUESTING SERVICE...

Please check your owner's manual before requesting service. Adjustments of the controls discussed there may save you a service call.

TO GET WARRANTY SERVICE IN U.S.A., PUERTO RICO OR U.S. VIRGIN ISLANDS...

Contact a Philips factory service center (see enclosed list) or authorized service center to arrange repair.

(In U.S.A., Puerto Rico and U.S. Virgin Islands, all implied warranties, including implied warranties of merchantability and fitness for a particular purpose, are limited in duration to the duration of this express warranty. But, because some states do not allow limitations on how long an implied warranty may last, this limitation may not apply to you.)

TO GET WARRANTY SERVICE IN CANADA...

Contact a Philips consumer service center (listed below), self-servicing dealer or authorized service depot to arrange repair.

Philips Electronics Ltd.
601 Milner Avenue, Scarborough, Ontario, M1B 1M8
(416) 292-5161
4977 Levy Street, St. Laurent, Québec, H4R 2N9
(514) 956-0210
1741 Boundary Road, Vancouver, B.C., V5M 3Y7
(604) 294-3441

(In Canada, this warranty is given in lieu of all other warranties. No other warranties are expressed or implied, including any implied warranties of merchantability or fitness for a particular purpose. Philips is not liable under any circumstances for any direct, indirect, special, incidental or consequential damages, howsoever incurred, even if notified of the possibility of such damages.)

REMEMBER...

Please record the model and serial numbers found on the product below. Also, please fill out and mail your warranty registration card promptly. It will be easier for us to notify you if necessary.

MODEL#				
SERIAL#				

Optional Accessories

Prices subject to change without notice. Availability subject to change at time of purchase. When ordering accessories outside the U.S.A., please refer to the accessories material, address, and prices for that country.

Maximize your viewing pleasure
with state-of-the-art accessories
designed specifically for your
Color Television. The optional
accessories shown in this
booklet may be purchased from
your local dealer, or may be
ordered direct from Philips
Consumer Electronics
Company.

Call toll-free

1-800-292-6066

Or write


Philips Consumer

Electronics Co.,

Accessories Marketing Dept.,

P.O. Box 967.

Greeneville, TN 37744-0967




TV/Cable Surge Protector Your Cost \$19.95

Electrical fluctuations and power surges can damage your valuable electronic entertainment equipment. Protect your antenna, cable, and electrical lines with Magnavox Audio/Video Equipment Surge Protectors.

Features:

- · Coaxial cable input/output
- Five grounded outlets
- . Built-in LED and reset button




Universal Night Lite™ Audio/Video Remote

Your Cost \$24.95

Replace your lost or broken remote control, or consolidate all your remotes into one. Plus, make remote easier to use in dimly-lit areas, with our Night LiteTM lighted keypad.

Features:

- Preprogrammed
- Autoscan and manual code setup
- On-screen capabilities
- · Menu programming
- · Spanish instructions included
- Toll-free customer assistance number included



Smart Amplifier Amplified VHF/UHF/FM Indoor Antenna

Your Cost \$34.95

Drastically improves VHF/UHF/FM reception on your TV or stereo. Simply attach antenna to your TV/stereo and enjoy crisper and clearer sound and picture quality. Adjustable UHF loop tilts and rotates for the best possible reception.

Features:

- 39" retractable dipoles
- 6' 75 ohm coax connection cable
- · Matching transformer included
- Soft base prevents scratching surfaces
- Active antenna with amplifier with up to 20 dB gain
- LED power indicator on front of antenna: easy to see while watching TV
- Knob on top of antenna serves as gain and power switch
- AC/DC power adapter included
- 90-day warranty